

## *The Expert Consensus Guideline Series*

# Treatment of Depression in Women

**Lori L. Altshuler, M.D.**

*UCLA Neuropsychiatric Institute  
VA Greater Los Angeles Healthcare System*

**Lee S. Cohen, M.D.**

*Massachusetts General Hospital*

**Margaret L. Moline, Ph.D.**

*New York Presbyterian Hospital—  
Weill Medical College of Cornell University*

**David A. Kahn, M.D.**

*Columbia University*

**Daniel Carpenter, Ph.D.**

*Comprehensive NeuroScience, Inc.*

**John P. Docherty, M.D.**

*Comprehensive NeuroScience, Inc.*

*Editing and Design.* Ruth Ross, M.A., David Ross, M.A., M.C.E., *Ross Editorial*

*Acknowledgments.* The authors thank Jennifer Alzona, of Expert Knowledge Systems, for managing the data collection. Dr. Kahn was the project manager.

*Reprints.* Reprints may be obtained by sending requests with a shipping/handling fee of \$12.95 per copy to: Expert Knowledge Systems, 21 Bloomingdale Road, White Plains, NY 10605. For pricing on bulk orders of 50 copies or more, please call Expert Knowledge Systems at (914) 997-4005.

*Continuing Medical Education.* This activity has been planned and implemented in accordance with the Essential Areas and Policies of the Accreditation Council for Continuing Medical Education (ACCME) by the Annenberg Center for Health Sciences at Eisenhower and Comprehensive NeuroScience. The Annenberg Center is accredited by the ACCME to provide continuing medical education for physicians. The Annenberg Center designates this educational activity for up to 3 hours in category 1 credit towards the AMA Physician's Recognition Award. Each physician should claim only those hours of credit that he/she actually spent in the educational activity.

## ***The Expert Consensus Panel for Depression in Women***

The following participants in the Expert Consensus Survey were identified from several sources: recent research publications and funded grants, the DSM-IV Work Group for Premenstrual Dysphoric Disorder, and individuals recognized by the editors as experts in the field of women's mental health. Of the 40 experts to whom we sent the depression in women survey, 36 (90%) replied. The recommendations in the guidelines reflect the aggregate opinions of the experts and do not necessarily reflect the opinion of each individual on each question.

Lori Altshuler, M.D.

*UCLA-Neuropsychiatric Institute*

Carole Birnbaum, M.D.

*Massachusetts General Hospital, Boston*

Anne Buist, M.D.

*Austin and Repatriation Med. Centre, Dept. of Psychiatry, Victoria, Australia*

Vivian Burt, M.D.

*UCLA-Neuropsychiatric Institute*

Regina Casper, M.D.

*Stanford University*

Lee Cohen, M.D.

*Massachusetts General Hospital, Boston*

Deborah Cowley, M.D.

*University of Washington, Seattle*

Ruth A. Dickson, M.D.

*University of Calgary*

Jean Endicott, Ph.D.

*Columbia University, New York State Psychiatric Institute*

Ellen Freeman, Ph.D.

*University of Pennsylvania, Philadelphia*

Judith Gold, M.D.

*Chair LLPDD Work Group, DSM-IV Task Force, Halifax, Nova Scotia*

Lynn Grush, M.D.

*Franciscan Children's Hospital, Boston*

Uri Halbreich, M.D.

*State University of New York, Buffalo*

Victoria Hendrick, M.D.

*UCLA Medical Center*

James Kocsis, M.D.

*New York Hospital, Cornell Medical Center*

Susan Kornstein, M.D.

*Medical College of Virginia, Richmond*

Ruta Nonacs, M.D.

*Massachusetts General Hospital, Boston*

Barbara Parry, M.D.

*University of California at San Diego, La Jolla*

Teri Pearlstein, M.D.

*Butler Hospital, Providence, RI*

Katherine Phillips, M.D.

*Butler Hospital, Providence, RI*

\*Andrea Rapkin, M.D.

*UCLA*

Natalie Rascon, M.D.

*UCLA-Neuropsychiatric Institute*

Catherine Roca, M.D.

*National Institutes of Mental Health, Bethesda, MD*

Lisa Rone, M.D.

*Northwestern Medical School, Evanston, IL*

David Rubinow, M.D.

*National Institutes of Mental Health, Bethesda, MD*

Peter Schmidt, M.D.

*National Institutes of Mental Health, Bethesda, MD*

Sally Severino, M.D.

*University of New Mexico, Albuquerque*

Deborah Sichel, M.D.

*Private practice, Wellesley, MA*

Margaret Spinelli, M.D.

*Columbia University, New York State Psychiatric Institute*

Meir Steiner, M.D., Ph.D., F.R.C.P.C.

*McMaster University, Hamilton, Ontario*

Donna Stewart, M.D.

*University of Toronto*

Hilda Templeton, M.D.

*St. Barnabas Medical Center, Livingston, NJ*

Adele C. Viguera, M.D.

*Massachusetts General Hospital, Boston*

Lisa Weinstock, M.D.

*Private practice, Scarsdale, NY*

Katherine Wisner, M.D., M.S.

*Case Western Reserve University, Cleveland*

Kimberly Ann Yonkers, M.D.

*Yale University School of Medicine*

---

\*Department of Obstetrics and Gynecology (all other experts are psychologists or psychiatrists)

## Contents

Expert Consensus Panel.....	2
Introduction: Methods, Summary, and Commentary.....	5
References .....	24

## GUIDELINES

Guideline Organization and Key Terms .....	29
I. PREMENSTRUAL DYSPHORIC DISORDER (PMDD)	
<i>Guideline 1:</i> Evaluation of PMDD .....	30
<i>Guideline 2:</i> Initial Overall Treatment Approach .....	31
<i>Guideline 3:</i> Medication Strategies for PMDD .....	31
<i>Guideline 4:</i> Antidepressants for PMDD .....	32
<i>Guideline 5:</i> Other Pharmacological Strategies for PMDD .....	33
<i>Guideline 6:</i> Nonpharmacological Approaches for PMDD (Nutritional and Psychobehavioral Treatments) .....	34
<i>Guideline 7:</i> Next Steps for Inadequate Response in PMDD .....	35
II. MANAGING DEPRESSION WHILE TRYING TO CONCEIVE OR DURING PREGNANCY	
<i>Guideline 8:</i> Strategies for a Patient Who Is Trying to Conceive .....	37
<i>Guideline 9:</i> Strategies for a Patient Who Becomes Pregnant and Is Doing Well on Antidepressant Medication .....	40
<i>Guideline 10:</i> Acute Phase Strategies for Treating Depression During Pregnancy.....	42
<i>Guideline 11:</i> Psychotic Depression During Pregnancy.....	44
<i>Guideline 12:</i> Selecting Psychotherapy Before or During Pregnancy .....	45
III. POSTPARTUM DEPRESSION	
<i>Guideline 13:</i> Postpartum Depression: Initial Strategies .....	46
<i>Guideline 14:</i> Psychosocial Interventions for Postpartum Depression.....	48
<i>Guideline 15:</i> Preventing Postpartum Depression in a Woman Who Has Had Several Prior Episodes of Major Depression .....	49
<i>Guideline 16:</i> How Long Before Delivery to Start Preventive Treatment .....	50

#### IV. CHOICE OF MEDICATION DURING CONCEPTION, PREGNANCY, AND LACTATION

<i>Guideline 17:</i> Selecting Specific Medications During Conception, Pregnancy, and Lactation.....	51
<i>Guideline 18:</i> When to Consider Electroconvulsive Therapy (ECT) Instead of Medication .....	53

#### V. DEPRESSION RELATED TO MENOPAUSE

<i>Guideline 19:</i> General Assessment of Depression Beginning in Menopause.....	54
<i>Guideline 20:</i> Initial Strategy for Depression in a Perimenopausal Woman .....	55
<i>Guideline 21:</i> Initial Strategy for Depression in a Postmenopausal Woman Not Receiving Hormonal Therapy.....	56
<i>Guideline 22:</i> Next Steps if Inadequate Response to Initial Treatment for Menopausal or Perimenopausal Depression .....	57
<i>Guideline 23:</i> Selecting an Antidepressant for Depression Related to Menopause.....	58

#### VI. SPECIAL ISSUES

<i>Guideline 24:</i> Strategies for Treating Depression Associated With Hormonal Treatment ....	59
<i>Guideline 25:</i> Selecting Antidepressants for Women in Specific Clinical Situations .....	60

#### APPENDIX

Daily Record of Severity of Problems (Short Form).....	61
--	----

### ***SURVEY RESULTS***

Expert Survey Results and Guideline References.....	62
---	----

### ***GUIDES FOR PATIENTS AND FAMILIES***

Premenstrual Dysphoric Disorder .....	108
Major Depression During Conception and Pregnancy .....	110
Postpartum Depression .....	112
Depression During the Transition to Menopause.....	114