

The Expert Consensus Guideline Series
**Pharmacotherapy of Depressive Disorders
in Older Patients**

George S. Alexopoulos, M.D.

*Cornell Institute of Geriatric Psychiatry
and Weill Medical College of Cornell University*

Ira R. Katz, M.D., Ph.D.

*University of Pennsylvania
and Philadelphia VA Medical Center*

Charles F. Reynolds, III, M.D.

*Western Psychiatric Institute and Clinic
and University of Pittsburgh School of Medicine*

Daniel Carpenter, Ph.D.

Comprehensive NeuroScience, Inc.

John P. Docherty, M.D.

Comprehensive NeuroScience, Inc.

Editing and Design. Ruth Ross, M.A., David Ross, M.A., M.C.E., *Ross Editorial*

Acknowledgments. The authors thank Paola Breton, of Expert Knowledge Systems, for managing the data collection.

Reprints. Reprints may be obtained by sending requests with a shipping/handling fee of \$12.95 per copy to: Expert Knowledge Systems, 21 Bloomingdale Road, White Plains, NY 10605. For pricing on bulk orders of 50 copies or more, please call Expert Knowledge Systems at (914) 997-4005. For more information on the Expert Consensus Guidelines, visit the Web site www.psychguides.com.

Support. This project was supported by NIMH grants P30-MH49762, P30-MH52247, and P30-MH52129, and by unrestricted educational grants from Forest Pharmaceuticals, Inc. and Pfizer, Inc.

Continuing Medical Education. This activity has been planned and implemented in accordance with the Essential Areas and Policies of the Accreditation Council for Continuing Medical Education (ACCME) by the Annenberg Center for Health Sciences at Eisenhower and Comprehensive NeuroScience. The Annenberg Center is accredited by the ACCME to provide continuing medical education for physicians. The Annenberg Center designates this educational activity for up to 3 hours in category 1 credit towards the AMA Physician's Recognition Award. Each physician should claim only those hours of credit that he/she actually spent in the educational activity.

The Expert Consensus Panel for Pharmacotherapy of Depressive Disorders in Older Patients

The following participants in the Expert Consensus Survey were identified from several sources: the NIMH list of grant recipients for research in geriatric psychiatric disorders and the membership of the American Association for Geriatric Psychiatry. Of the 50 experts to whom we sent the survey, 50 (100%) replied. The recommendations in the guidelines reflect the aggregate opinions of the experts and do not necessarily reflect the opinion of each individual on each question.

Peter Aupperle, M.D. <i>Robert Wood Johnson Medical School</i>	John Kasckow, M.D. <i>University of Cincinnati</i>	Bruce G. Pollock, M.D., Ph.D. <i>University of Pittsburgh</i>
Stephen Bartels, M.D. <i>Dartmouth</i>	Gary J. Kennedy, M.D. <i>Montefiore Medical Center</i>	Peter Rabins, M.D. <i>Johns Hopkins University</i>
Dan G. Blazer, M.D. <i>Duke University</i>	Harold G. Koenig, M.D. <i>Duke University</i>	K. Ranga Rama Krishnan, M.D. <i>Duke University</i>
William Bondareff, M.D. <i>University of Southern California</i>	Anand Kumar, M.D. <i>UCLA NeuroPsychiatric Institute</i>	Robert G. Robinson, M.D. <i>University of Iowa</i>
Soo Borson, M.D. <i>University of Washington</i>	Mark Kunik, M.D. <i>Baylor College of Medicine, Houston VAMC</i>	Jules Rosen, M.D. <i>WPIC University of Pittsburgh</i>
John C. S. Breitner, M.D. <i>Johns Hopkins University</i>	Helen Lavretsky, M.D. <i>UCLA</i>	Barry W. Rovner, M.D. <i>Jefferson Medical College</i>
Christopher C. Colenda, M.D. <i>Michigan State University</i>	Ira Lesser, M.D. <i>Harbor UCLA Medical Center</i>	Carl Salzman, M.D. <i>Massachusetts Mental Health Center</i>
Devangere P. Devanand, M.D. <i>Columbia University</i>	Jeffrey Marc Lyness, M.D. <i>University of Rochester</i>	Lon S. Schneider, M.D. <i>University of Southern California</i>
Alastair John Flint, M.D. <i>University of Toronto</i>	Robert S. Marin, M.D. <i>University of Pittsburgh</i>	Alan J. Sholomskas, M.D. <i>Yale University</i>
Mary Ganguli, M.D. <i>University of Pittsburgh</i>	Barnett S. Meyers, M.D. <i>Cornell University</i>	David C. Steffens, M.D. <i>Duke University</i>
Gary L. Gottlieb, M.D. <i>Partners Healthcare Boston</i>	Jacobo E. Mintzer, M.D. <i>Medical University of South Carolina</i>	Joel E. Streim, M.D. <i>University of Pennsylvania</i>
Blaine S. Greenwald, M.D. <i>Hillside Hosp—Long Island Jewish Med Ctr</i>	Gary Moak, M.D. <i>University of Massachusetts</i>	Trey Sunderland, M.D. <i>National Institutes of Mental Health</i>
George Grossberg, M.D. <i>St. Louis University</i>	Benoit H. Mulsant, M.D. <i>University of Pittsburgh</i>	Larry Tune, M.D. <i>Emory University</i>
Hugh Hendrie, M.D. <i>Indiana University</i>	Greer M. Murphy, M.D. <i>Stanford University</i>	Richard C. Veith, M.D. <i>University of Washington</i>
Nathan Herrmann, M.D. <i>University of Toronto</i>	Paul A. Newhouse, M.D. <i>University of Vermont</i>	Jerome A. Yesavage, M.D. <i>Stanford University</i>
Lissy F. Jarvik, M.D. <i>UCLA</i>	David W. Oslin, M.D. <i>University of Pennsylvania</i>	George S. Zubenko, M.D., Ph.D. <i>University of Pittsburgh</i>
Dilip V. Jeste, M.D. <i>University of California</i>	Thomas E. Oxman, M.D. <i>Dartmouth</i>	

Contents

Expert Consensus Panel.....	2
Introduction: Methods, Summary, and Commentary.....	5

GUIDELINES

Guideline Organization and Key Terms	19
I. ASSESSMENT OF DEPRESSION IN OLDER PATIENTS	
<i>Guideline 1:</i> Initial Assessment Procedures.....	20
<i>Guideline 2:</i> Most Important Comorbid Conditions to Assess	21
<i>Guideline 3:</i> Most Important Symptoms in Diagnosing Depression of an Older Patient	22
<i>Guideline 4:</i> Need for Referral for Psychiatric Care.....	23
<i>Guideline 5:</i> Suicide Risk	23
II. ACUTE TREATMENT STRATEGIES AND MEDICATION SELECTION	
<i>Guideline 6:</i> Unipolar Nonpsychotic Major Depressive Disorder.....	24
<i>Guideline 7:</i> Unipolar Psychotic Major Depressive Disorder	25
<i>Guideline 8:</i> Use of Electroconvulsive Therapy in Older Patients With Unipolar Major Depressive Disorder	26
<i>Guideline 9:</i> Dysthymic Disorder.....	26
<i>Guideline 10:</i> Minor Depressive Disorder.....	27
<i>Guideline 11:</i> Initial Treatment Strategies for Depression Associated With an External Stressor	27
<i>Guideline 12:</i> Choice of Specific Medications Within Classes	28
<i>Guideline 13:</i> Choice of Psychosocial Interventions	29
<i>Guideline 14:</i> Evaluating Treatment Outcomes	29
III. DOSING AND DURATION OF TREATMENT	
<i>Guideline 15:</i> Adequate Dose of Antidepressants	30
<i>Guideline 16:</i> Duration of Adequate Antidepressant Trial.....	31
<i>Guideline 17:</i> Adequate Dose of Antipsychotics	31

IV. TREATMENT RESISTANCE

Guideline 18: Inadequate Response to Initial Antidepressant:
General Strategies32

Guideline 19: Little or No Response to Initial Antidepressant.....32

Guideline 20: Partial Response to Initial Antidepressant33

Guideline 21: Complementary or Novel Therapies
for Treatment-Refractory Depression.....33

Guideline 22: Insomnia.....34

Guideline 23: Strategies for Treating Residual Anxiety.....34

V. STRATEGIES FOR CONTINUATION AND MAINTENANCE TREATMENT

Guideline 24: Dosage and Duration of Continuation/Maintenance Treatment.....35

Guideline 25: Continuation/Maintenance Treatment After ECT.....37

Guideline 26: Mood Stabilizers in Continuation/Maintenance Treatment38

VI. SPECIAL TREATMENT ISSUES

Guideline 27: Medical Comorbidity39

Guideline 28: Managing Depression Associated With a Medication.....42

Guideline 29: Combining Medications in Older Patients.....43

SURVEY RESULTS

Expert Survey Results and Guideline References.....44

GUIDE FOR PATIENTS AND FAMILIES.....83